

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20050254084"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/11 14:51
S3	1	print\$3 with status with job same (activat\$3 near3 display\$3) and (notification or notif\$4) near3 user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 10:58
S4	8	print\$3 with status with job with display\$3 and (activat\$3 near3 display\$3) and (notification or notif\$4) near3 user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 11:14
S5	172	print\$3 with status with job with display\$3 and (notification or notif\$4) near3 user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 11:19
S6	85	S5 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 11:21
S7	2	"7286250".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 11:23
S8	0	print\$3 with status with job with display\$3 same ((notification or notif\$4) near3 ((correspond\$3 or relat\$3 or relevant or respective) near2 user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:45
S9	22	print\$3 with status with job with display\$3 same ((notification or notif\$4) near3 user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 15:12

S10	7	S9 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 15:12
S11	2	print\$3 with status with job with display\$3 same ((user or login) near2 ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 15:30
S12	0	print\$3 with status with job with display\$3 same (verif\$7 near3 (user or login or ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 15:37
S13	11	print\$3 with status with job with display\$3 and (verif\$7 near3 (user or login or ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 15:38
S14	6	S13 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 15:40
S15	172	print\$3 with status with job with display\$3 and (notification or notif\$4) near3 user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 15:56
S16	85	S15 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 15:56
S17	0	S16 and (program near3 activat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 15:56
S18	2	"6667810".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 16:03

S19	2	"20020015166"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 16:05
S20	2	"7187478".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 16:32
S21	70	S16 and (user near3 (specif \$4 or specification or input \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 16:40
S22	51	S16 and (user near3 (specif \$4 or specification or input \$4) with display\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 16:40
S23	17	print\$3 with status with job with display\$3 same (own\$3 or designat\$3) near3 (ID or user or individual or owner or identif\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 08:58
S24	12	S23 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 08:59
S25	2	"6762853".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 09:09
S26	2	"20050254084"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 15:12
S27	0	print\$3 with status with job with display\$3 same (ready near3 (notif\$4 or notification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 15:31

S28	5	print\$3 with status with job with display\$3 same (ready near3 printer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 15:45
S29	364	(display\$3 or activat\$3 or notif\$7) with status with job same ((ready or status) near3 printer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 15:53
S30	164	S29 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 15:54
S31	121	(display\$3 or activat\$3 or notif\$7) with status with job with print\$3 same (error or mistake)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 16:03
S32	46	S31 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 16:04
S33	0	(display\$3) same job same print\$3 same (error or mistake or jam or abnormal \$3) same if	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 16:42
S34	119	(display\$3) same job same print\$3 same (error or mistake or jam or abnormal \$3) same only	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 16:42
S35	53	S34 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 16:43
S36	916	(display\$3) same job same print\$3 same (error or mistake or jam or abnormal \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 16:49

S37	296	(display\$3) with job with print\$3 with (error or mistake or jam or abnormal \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 16:49
S38	118	S37 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 16:50
S39	3	"20040145772"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:52
S40	2	"20040133890"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:53
S41	17	(US-20020075508-\$ or US- 20020065871-\$ or US- 20010053301-\$ or US- 20010053295-\$ or US- 20010015812-\$ or US- 20040223177-\$ or US- 20020036790-\$ or US- 20030088642-\$ or US- 20030077097-\$).did. or (US- 7106465-\$ or US-6438574-\$ or US-6762853-\$ or US- 6791702-\$ or US-6674540-\$ or US-6583886-\$ or US- 5706411-\$ or US-7304753- \$).did.	US-PGPUB; USPAT	OR	ON	2008/08/14 17:53
S42	14	S41 and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:53
S43	7	S41 and printer near2 server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:57

S44	2174	358/1.14.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 19:34
S45	10832	358/1.15.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 19:34
S46	296	(display\$3) with job with print\$3 with (error or mistake or jam or abnormal \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 19:35
S47	40	S46 and S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 19:35
S48	90	S46 and S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 19:35
S49	2	"20040105117"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 19:49
S50	3	"20020036790"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 20:03
S51	2	"20010015812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 20:03
S52	2	"20030077097"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 20:04

S53	0	(log-in log-on log adj (in on)) with (together simultaneous\$2) with (print \$3 near3 status) with display \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/24 14:09
S54	151	user with (multiple together simultaneous\$2) with print \$3 with status	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/24 14:13
S55	91	S54 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/24 14:14
S56	18	user with (multiple together simultaneous\$2) with print \$3 with status and (log-in log-on log adj (in on))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/02 10:53
S57	15	S56 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/02 10:57
S58	3	print\$3 with status with job with display\$3 and (notification or notif\$4) same ((multiple several many) near2 user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/02 11:43
S59	73	print\$3 with status with job with display\$3 and (notification or notif\$4) and ((multiple several many) near2 user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/02 11:55
S60	31	S59 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/02 11:55
S61	2	"20050254084"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/03 15:40

S62	5	(inform\$3 notified notify\$3 notification) with (different near2 user) with print\$3 with status	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/03 16:41
S63	1	(inform\$3 notified notify\$3 notification) with (specific near2 user) with print\$3 with status	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/03 16:45
S64	610	(inform\$3 notified notify\$3 notification) with (user) with display\$3 with print\$3 with (information status)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/03 16:47
S65	12	(inform\$3 notified notify\$3 notification) with (user) with display\$3 with print\$3 with (information status) same ((multiple plural\$3 several many) near2 user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/03 16:49
S66	6	S65 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/03 16:49
S67	150	(inform\$3 notified notify\$3 notification) with (user) with display\$3 with print\$3 with (status)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/03 16:54
S68	71	S67 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/03 16:55
S69	7	S68 and ((multiple several many) near2 user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/03 17:05
S70	1	("2003/0218767").URPN.	USPAT	OR	ON	2009/01/04 11:30

S71	57	(notify\$3 notified notification) with user with (print\$3 near3 status) with display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 17:42
S72	26	S71 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 17:43
S73	32	(notify\$3 notified notification) with user with (print\$3 near3 status) same display\$3 and (plural\$3 many multiple several) near2 user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 20:31
S74	17	S73 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 20:31
S75	155	(notify\$3 notified notification) with user with (print\$3 near3 (job information)) same display \$3 and (plural\$3 many multiple several different) near2 user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 20:50
S76	74	S75 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 20:56
S77	15	(notification notif\$4) near3 user with (multiuser (plural \$3 several many multiple) near2 user) with (status information) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 16:40
S78	29	(notification notif\$4) near3 user with print\$3 with (information status) and (multiuser (plural\$3 several many multiple) near2 user) with (login log-in log adj (in on) authenticat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 10:56

S79	19	S78 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 10:57
S80	74	automatical\$2 with (notification notif\$4 inform \$3) with user with print\$3 with (status information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 11:24
S81	27	S80 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 11:24
S83	42	(multiuser (plural\$3 several many multiple) near2 user) with (login log-in log adj (in on) authenticat\$3) with (server computer pc apparatus) same print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 11:32
S84	18	S83 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 11:32
S85	71	specif\$4 with user with ((multiple plural\$3 several many) near2 user) with active	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 11:40
S86	26	S85 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 11:40
S87	1	activat\$3 with (user near2 session) with ((multiple plural \$3 several many) near2 user) with display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 11:44
S88	47	(activat\$3 active) with (user near2 session) with ((multiple plural\$3 several many) near2 user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 12:14

S89	4	(activat\$3 active) with (user near2 session) with ((multiple plural\$3 several many) near2 user) same (display\$3 print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 12:15
S93	2	(activat\$3 active) with (session near2 ((multiple plural\$3 several many) near2 user)) same (logon login log-on log-in log adj (in on))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 12:27
S94	66	(session near2 ((multiple plural\$3 several many) near2 user)) same (logon login log-on log-in log adj (in on))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 12:28
S95	15	S94 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 12:28
S98	70	(activat\$3 specif\$4) with (different near2 user) with ((multiple plural\$3 several many various) near2 user) same (display\$3 print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 12:36
S100	43	S98 and (@rlad<"20020829" or @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 12:37

2/ 5/ 2009 4:17:58 PM

C:\Documents and Settings\fzhang\My Documents\EAST\Workspaces\10522625.wsp